

liebreadth

Breadth in finite dimensional algebras

0.1

19 April 2025

Óscar Fernández Ayala

Óscar Fernández Ayala

Email: oscar00ayala@gmail.com

Homepage: <https://Osferay.github.io>

Contents

1	Preface	3
1.1	Breadth	3
2	Lie algebras and breadth	4
2.1	Breadth	4
2.2	Lie Breadth	5
3	Inflation of Lie algebras	6
3.1	Lie Breadth	6
	References	8
	Index	9

Chapter 1

Preface

In this package we compute the breadth of Lie algebras. This package also include functions to compute covered Lie algebras of maximal class using a proces called inflation, this is described by Caranti, Mattarei, and Newman [CMN97].

1.1 Breadth

Given a Lie algebra L , we define its lower central series as $L = L^1 > L^2 > \dots$, where $L^{i+1} = L^i L$. The algebra L is nilpotent if there exists $c \in \mathbb{N}$ such that $L^{c+1} = 0$ and the minimal c with this property is the class $\text{cl}(L)$ of L . For a nilpotent Lie algebra L the type of L is the vector (d_1, \dots, d_c) where $d_i = \dim L^i$. A nilpotent Lie algebra L is of maximal class if the type of L is $(2, 1, \dots, 1)$. The centralizer of $x \in L$ is the subspace of L defined by $C_L(x) = \{a \in L \mid ax = 0\}$. For an algebra L , we define $\text{br}(L) = \max \{ \text{br}(x) \mid x \in L \}$, where $\text{br}(x) = \dim(L) - \dim(C_L(x))$. The class-breadth conjecture, asserting that $\text{cl}(L) \leq \text{br}(L) + 1$ for an algebra L . This holds for nilpotent Lie algebras over infinite fields and for nilpotent associative algebras over arbitrary fields. Let L be a Lie algebra over a field K , and let $B = \{b_1, \dots, b_n\}$ be a basis of L . The multiplication in L is described by structure constants $b_i \cdot b_j = \sum_{k=1}^n c_{ijk} b_k$ for $1 \leq i, j \leq n$. Write $C_k = (c_{ijk})_{1 \leq i, j \leq n}$ for the $n \times n$ matrix over K with entries c_{ijk} , this matrices are the structure matrices of L . For $x = x_1 b_1 + \dots + x_n b_n \in L$ we denote with $\bar{x} = (x_1, \dots, x_n) \in K^n$ the coefficient vector of x . Then $C_k \bar{x}^T$ is a column vector with entries in K . We write $M_B(x)$ for the $n \times n$ matrix over K whose k th column is $C_k \bar{x}^T$, this is the adjoint matrix of L .

Chapter 2

Lie algebras and breadth

2.1 Breadth

2.1.1 LieClass (for IsLieNilpotent)

▷ LieClass(L) (attribute)

Computes the class of the nilpotent Lie algebra L .

2.1.2 LieType (for IsLieNilpotent)

▷ LieType(L) (attribute)

Computes the type of the nilpotent Lie algebra L .

2.1.3 IsOfMaximalClass (for IsLieNilpotent)

▷ IsOfMaximalClass(L) (property)

Returns: true or false

Returns whether the nilpotent Lie algebra L is of maximal class or not.

2.1.4 StructureMatrices (for IsLieAlgebra)

▷ StructureMatrices(L) (attribute)

Computes the structure matrices of the nilpotent Lie algebra L .

2.1.5 BasisLieCenter (for IsLieAlgebra)

▷ BasisLieCenter(L) (attribute)

Returns the elements of the basis Lie algebra L that are contained in the center of L .

2.1.6 BasisLieDerived (for IsLieAlgebra)

▷ `BasisLieDerived(L)` (attribute)

Returns the elements of the basis Lie algebra L that are contained in the derived subalgebra of L .

2.1.7 LieAdjointMatrix (for IsLieAlgebra)

▷ `LieAdjointMatrix(L)` (attribute)

Computes the adjoint matrix of the Lie algebra L .

2.1.8 PrintLiePresentation (for IsLieAlgebra)

▷ `PrintLiePresentation(L)` (attribute)

Prints the Lie presentation of the Lie algebra L .

2.2 Lie Breadth

2.2.1 InfoLieBreadth

▷ `InfoLieBreadth` (info class)

Info class for the functions of the breadth of Lie algebras.

2.2.2 LieBreadth (for IsLieNilpotent)

▷ `LieBreadth(L)` (attribute)

Computes the breadth of the Lie algebra L .

2.2.3 IsTrueClassBreadth (for IsLieNilpotent)

▷ `IsTrueClassBreadth(L)` (property)

Returns: true or false

Returns whether the Lie algebra L holds the class-breadth conjecture or not.

Chapter 3

Inflation of Lie algebras

A grading for a Lie algebra L decomposition $L = \bigoplus_{i=1}^n L_i$ that respects the Lie bracket, \textit{i.e.} $[L_i, L_j] \subseteq L_{i+j}$. Any nilpotent Lie algebras is graded by taking $L_i = \gamma_i(L)/\gamma_{i+1}(L)$. Let L be a nilpotent Lie algebra of maximal class, the two-step centralizers are the sets $C_i = C_{L_1}(L_i) = \{x \in L_1 \mid [x, L_i] = 0\}$ for all $2 \leq i \leq c$. Let $\mathcal{C} = \{C_i\} \setminus L_1$, we say that a Lie algebra of maximal class is covered if the set \mathcal{C} consist of all one-dimensional subspaces of L_1 . Let L be a graded Lie algebra $L = \bigoplus_{i=1}^n L_i$ over $K = \mathbb{F}_q$ for some prime power $q = p^n$. The field extension $A = K[\varepsilon]/\langle \varepsilon^p \rangle$ is a vector space over K of dimension p and A is an associative commutative algebra with unit. The algebra $L \otimes A$ over K defined by $[x \otimes a, y \otimes b] = [x, y] \otimes ab$ is a graded Lie algebra. Let M be a maximal ideal of L and consider the Lie subalgebra $M^\uparrow = M \otimes A$. Let D be a derivation of L of degree 1. Define D^\uparrow via: $D^\uparrow(x \otimes \varepsilon^i) = D(x) \otimes \varepsilon^i$, this is a derivation of M^\uparrow of degree 1. Define the derivation $E \in M^\uparrow$ as $E(x \otimes \varepsilon^i) = D^\uparrow(x \otimes \varepsilon^i \cdot \varepsilon^{p-1}) + 1 \otimes \partial_\varepsilon(\varepsilon^i)$. Let $s \in L_1 \setminus M$, take $D = \text{ad}_s$ and extend it to M^\uparrow in the natural way to M^\uparrow . Denote $E_{s'}$ as previously. The \textit{inflation} $^M L$ of L at M by $s \in L_1 \setminus M$ is the graded Lie algebra obtained as an extension of M^\uparrow by an element s' which is the extension of s that induces the derivation $E_{s'}$, that is, $[x \otimes a, s'^\sim] = E_{s'^\sim}(x \otimes a) = \text{ad}_{s'^\sim}(x \otimes a) + x \otimes \partial_\varepsilon(\varepsilon^i)$.

3.1 Lie Breadth

3.1.1 InfoInflation

▷ InfoInflation

(info class)

Info class for the functions of the inflation of Lie algebras.

3.1.2 LieNilpotentGrading (for IsLieNilpotent)

▷ LieNilpotentGrading(L)

(attribute)

Computes a grading of the nilpotent Lie algebra L using the lower central series.

3.1.3 LieTwoStepCentralizers (for IsLieNilpotent)

▷ LieTwoStepCentralizers(L)

(attribute)

Computes the two step centralizers of the Lie algebra L .

3.1.4 IsLieCovered (for IsLieNilpotent)

▷ IsLieCovered(L) (property)

Returns: true or false

Returns whether the Lie algebra L is covered or not.

3.1.5 PolynomialAlgebra (for IsField and IsFinite)

▷ PolynomialAlgebra(F) (attribute)

For a finite field F computes the polynomial algebra $F[x]$.

3.1.6 LieCoveredInflated (for IsInt)

▷ LieCoveredInflated(n) (attribute)

For $n = 2, 3$ computes the covered Lie algebras of maximal class using the polynomial algebra of dimension n .

3.1.7 LieMinimalQuotientClassBreadth (for IsLieAlgebra)

▷ LieMinimalQuotientClassBreadth(L) (attribute)

Given a covered Lie algebras of maximal class L computes the minimal quotient that not holds the class-breadth conjecture.

References

- [CMN97] A. Caranti, S. Mattarei, and M. F. Newman. Graded lie algebras of maximal class. *Transactions of the American Mathematical Society*, 349:4021--4051, 1997. [3](#)

Index

BasisLieCenter
 for IsLieAlgebra, [4](#)
BasisLieDerived
 for IsLieAlgebra, [5](#)

InfoInflation, [6](#)
InfoLieBreadth, [5](#)
IsLieCovered
 for IsLieNilpotent, [7](#)
IsOfMaximalClass
 for IsLieNilpotent, [4](#)
IsTrueClassBreadth
 for IsLieNilpotent, [5](#)

LieAdjointMatrix
 for IsLieAlgebra, [5](#)
LieBreadth
 for IsLieNilpotent, [5](#)
LieClass
 for IsLieNilpotent, [4](#)
LieCoveredInflated
 for IsInt, [7](#)
LieMinimalQuotientClassBreadth
 for IsLieAlgebra, [7](#)
LieNilpotentGrading
 for IsLieNilpotent, [6](#)
LieTwoStepCentralizers
 for IsLieNilpotent, [6](#)
LieType
 for IsLieNilpotent, [4](#)

PolynomialAlgebra
 for IsField and IsFinite, [7](#)
PrintLiePresentation
 for IsLieAlgebra, [5](#)

StructureMatrices
 for IsLieAlgebra, [4](#)